

# CERTIFICATE

**Anbotek**

Product Safety

**CERTIFICATE  
Of Conformity  
EC Council Directive 2002/95/EC  
as last amended by EC Directive 2005/618/EC  
Restriction of the Use of Certain Hazardous Substances  
in Electrical and Electronic Equipment**

**Registration No.: AT1203666R**

**Report No.: 201203726R**

**Applicant** : **BestSub Technologies Co., Ltd.**  
Rm 810 Exchange Square, No.268 Dongfeng Zhong Road,  
Yuexiu District, Guangzhou, 510030, China

**Manufacturer** : **BestSub Technologies Co., Ltd.**  
Rm 810 Exchange Square, No.268 Dongfeng Zhong Road,  
Yuexiu District, Guangzhou, 510030, China

**Product** : **Swing Away Press**

**Identification** : **Model No. : SY99**

**Serial No. : N.A.**

**Trade Mark : N.A.**

The certificate is based on ANBOTEK' S test results and other related test data provided by applicant. Technical report and documentation are at the applicant's disposal. This is to certify that the tested sample is in conformity with all provisions of the RoHS Directive.

**Product**



**Mar. 16, 2012**  
Date



**Certified by**

*Jeff Zhu*  
.....  
**Manager**

**Anbotek Compliance Laboratory Limited**

1/F, 1 /Build, SEC Industrial Park, No. 4 Qianhai Road  
Nanshan District, Shenzhen, 518054, China  
[Http://www.anbotek.com](http://www.anbotek.com)

Tel: (86)755-26066544  
Fax: (86)755-26014772  
Email: [service@anbotek.com](mailto:service@anbotek.com)

**RoHS Test Report** No. 201203726R Date: Mar. 16, 2012 Page1 of 14

APPLICANT : BestSub Technologies Co., Ltd.  
Rm 810 Exchange Square, No.268 Dongfeng Zhong Road,  
Yuexiu District, Guangzhou, 510030, China

REPORT ON THE SUBMITTED SAMPLE SAID TO BE

SAMPLE NAME : Swing Away Press  
TYPE /MODEL : SY99  
MANUFACTURER : BestSub Technologies Co., Ltd.  
TEST REPORT NUMBER : 201203726R  
SAMPLE RECEIVED DATE : Mar. 08, 2012  
TESTING PERIOD : Mar. 08, 2012 to Mar. 16, 2012

\*\*\*\*\*  
TEST REQUESTED: TO COMBINE THE TEST RESULT FOR THE SUBMITTED SAMPLE  
\*\*\*\*\*

CONCLUSION:

<u>TESTED SAMPES</u>	<u>STANDARD</u>	<u>RESULT</u>
SUBMITTED SAMPLE	EUROPEAN DIRECTIVE 2002/95/EC AND AMENDMENT 2005/618/EC ON THE RESTRICTION OF THE USE OF CERTAIN HAZARDOUS SUBSTANCES (RoHS Directive)	PASS

\*\*\*\*\*FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S)\*\*\*\*\*

Signed for and on behalf of ANBOTEK COMPLIANCE LABORATORY LIMITED

Written by

phevos hu

Inspected by

Terry Zhan

Approved

Jeff Zhu



This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the company

**Anbotek Compliance Laboratory Limited**

Address:1/F, 1/Building, SEC Industrial Park, No.4 Qianhai Road, Nanshan District, Shenzhen, 518054, China  
Tel: (86) 755-26014771 Fax :(86) 755-26014772 Email: service@anbotek.com Http://www.anbotek.com

**Testing method:**


Testing Item	Measuring method	Instrument	Report Limit
Cadmium (Cd)	EN 1122B	ICP-AES	2 mg/kg
Lead (Pb)	EPA 3050B	ICP-AES	2 mg/kg
Mercury (Hg)	EPA 3052	ICP-AES	2 mg/kg
Chromium(VI) [Cr(VI)]	EPA 3060A	UV-VIS	2 mg/kg
Polybrominated Biphenyl (PBB)	83/264/EEC	GC/MS	5 mg/kg
Polybrominated Diphenylether (PBDE)	83/264/EEC	GC/MS	5 mg/kg

**Method detection Limits:**


Test Item	Unit	Acceptable Limit
Cadmium (Cd)	ppm	100
Lead (Pb)	ppm	1000
Mercury (Hg)	ppm	1000
Chromium(VI) [Cr(VI)]	ppm	1000
Polybrominated Biphenyl (PBB)	ppm	1000
Polybrominated Diphenylether (PBDE)	ppm	1000

**Test flow:**

## 1. To Determine lead Content:




## 2. To Determine Cadmium Content:





This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the company


## 3. To Determine Mercury Content:



## 4. To Determine Hexavalent Chromium Content:

5. To Determine Hexavalent Chromium Content in metals:  
spot-test:

## 6. To Determine PBBs / PBDEs Content:



This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the company

**Test Results**

Item	Unit	MDL	<u>No.</u> 1	<u>No.</u> 2	<u>No.</u> 3-1	<u>No.</u> 3-2	<u>No.</u> 4-1
Lead Content (Pb)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury Content(Hg)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Hexavalent Chromium Content [Cr(VI)]	ppm	2	N.D.	Negative	N.D.	Negative	N.D.
Flame Retardants							
Polybrominated biphenyls (PBBs)	ppm	5	N.D.	N.A.	N.D.	N.A.	N.D.
Polybrominated Diphenylethers(PBDEs)	ppm	5	N.D.	N.A.	N.D.	N.A.	N.D.

Item	Unit	MDL	<u>No.</u> 4-2	<u>No.</u> 5-1	<u>No.</u> 5-2	<u>No.</u> 6-1	<u>No.</u> 6-2
Lead Content (Pb)	ppm	2	N.D.	N.D.	N.D.	25	N.D.
Cadmium (Cd)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury Content(Hg)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Hexavalent Chromium Content [Cr(VI)]	ppm	2	Negative	N.D.	Negative	N.D.	Negative
Flame Retardants							
Polybrominated biphenyls (PBBs)	ppm	5	N.A.	N.D.	N.A.	N.D.	N.A.
Polybrominated Diphenylethers(PBDEs)	ppm	5	N.A.	N.D.	N.A.	N.D.	N.A.

Item	Unit	MDL	<u>No.</u> 7-1	<u>No.</u> 7-2	<u>No.</u> 7-3	<u>No.</u> 7-4	<u>No.</u> 8-1
Lead Content (Pb)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury Content(Hg)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Hexavalent Chromium Content [Cr(VI)]	ppm	2	Negative	Negative	Negative	N.D.	N.D.
Flame Retardants							
Polybrominated biphenyls (PBBs)	ppm	5	N.A.	N.A.	N.A.	N.D.	N.D.
Polybrominated Diphenylethers(PBDEs)	ppm	5	N.A.	N.A.	N.A.	N.D.	N.D.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the company

**Anbotek Compliance Laboratory Limited**

Address: 1/F, 1/Building, SEC Industrial Park, No.4 Qianhai Road, Nanshan District, Shenzhen, 518054, China  
Tel: (86) 755-26014771 Fax: (86) 755-26014772 Email: service@anbotek.com Http://www.anbotek.com

**RoHS Test Report**    No. 201203726R    Date: Mar. 16, 2012    Page5 of 14

Item	Unit	MDL	<u>No.</u> <u>8-2</u>	<u>No.</u> <u>9-1</u>	<u>No.</u> <u>9-2</u>	<u>No.</u> <u>10-1</u>	<u>No.</u> <u>10-2</u>
Lead Content (Pb)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury Content(Hg)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Hexavalent Chromium Content [Cr(VI)]	ppm	2	Negative	N.D.	Negative	N.D.	Negative
Flame Retardants							
Polybrominated biphenyls (PBBs)	ppm	5	N.A.	N.D.	N.A.	N.D.	N.A.
Polybrominated Diphenylethers(PBDEs)	ppm	5	N.A.	N.D.	N.A.	N.D.	N.A.

Item	Unit	MDL	<u>No.</u> <u>11-1</u>	<u>No.</u> <u>11-2</u>	<u>No.</u> <u>12-1</u>	<u>No.</u> <u>12-2</u>	<u>No.</u> <u>13-1</u>
Lead Content (Pb)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury Content(Hg)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Hexavalent Chromium Content [Cr(VI)]	ppm	2	N.D.	Negative	N.D.	Negative	N.D.
Flame Retardants							
Polybrominated biphenyls (PBBs)	ppm	5	N.D.	N.A.	N.D.	N.A.	N.D.
Polybrominated Diphenylethers(PBDEs)	ppm	5	N.D.	N.A.	N.D.	N.A.	N.D.

Item	Unit	MDL	<u>No.</u> <u>13-2</u>	<u>No.</u> <u>14-1</u>	<u>No.</u> <u>14-2</u>	<u>No.</u> <u>14-3</u>	<u>No.</u> <u>14-4</u>
Lead Content (Pb)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury Content(Hg)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Hexavalent Chromium Content [Cr(VI)]	ppm	2	Negative	N.D.	N.D.	Negative	Negative
Flame Retardants							
Polybrominated biphenyls (PBBs)	ppm	5	N.A.	N.D.	N.D.	N.A.	N.A.
Polybrominated Diphenylethers(PBDEs)	ppm	5	N.A.	N.D.	N.D.	N.A.	N.A.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the company

**Anbotek Compliance Laboratory Limited**

Address: 1/F, 1 /Building, SEC Industrial Park, No.4 Qianhai Road, Nanshan District, Shenzhen, 518054, China  
 Tel: (86) 755-26014771 Fax : (86) 755-26014772 Email: service@anbotek.com Http://www.anbotek.com

Item	Unit	MDL	<u>No.</u> <u>15-1</u>	<u>No.</u> <u>15-2</u>	<u>No.</u> <u>15-3</u>	<u>No.</u> <u>15-4</u>	<u>No.</u> <u>15-5</u>
Lead Content (Pb)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury Content(Hg)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Hexavalent Chromium Content [Cr(VI)]	ppm	2	Negative	Negative	N.D.	N.D.	Negative
Flame Retardants							
Polybrominated biphenyls (PBBs)	ppm	5	N.A.	N.A.	N.D.	N.D.	N.A.
Polybrominated Diphenylethers(PBDEs)	ppm	5	N.A.	N.A.	N.D.	N.D.	N.A.

Item	Unit	MDL	<u>No.</u> <u>15-6</u>	<u>No.</u> <u>15-7</u>	<u>No.</u> <u>15-8</u>	<u>No.</u> <u>16</u>	<u>No.</u> <u>17-1</u>
Lead Content (Pb)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury Content(Hg)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Hexavalent Chromium Content [Cr(VI)]	ppm	2	N.D.	N.D.	Negative	Negative	N.D.
Flame Retardants							
Polybrominated biphenyls (PBBs)	ppm	5	N.D.	N.D.	N.A.	N.A.	N.D.
Polybrominated Diphenylethers(PBDEs)	ppm	5	N.D.	N.D.	N.A.	N.A.	N.D.

Item	Unit	MDL	<u>No.</u> <u>17-2</u>	<u>No.</u> <u>18-1</u>	<u>No.</u> <u>18-2</u>	<u>No.</u> <u>19-1</u>	<u>No.</u> <u>19-2</u>
Lead Content (Pb)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury Content(Hg)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Hexavalent Chromium Content [Cr(VI)]	ppm	2	Negative	N.D.	Negative	N.D.	Negative
Flame Retardants							
Polybrominated biphenyls (PBBs)	ppm	5	N.A.	N.D.	N.A.	N.D.	N.A.
Polybrominated Diphenylethers(PBDEs)	ppm	5	N.A.	N.D.	N.A.	N.D.	N.A.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the company

**Anbotek Compliance Laboratory Limited**

Address: 1/F, 1 /Building, SEC Industrial Park, No.4 Qianhai Road, Nanshan District, Shenzhen, 518054, China  
Tel: (86) 755-26014771 Fax: (86) 755-26014772 Email: service@anbotek.com Http://www.anbotek.com

Item	Unit	MDL	<u>No.</u> <u>19-3</u>	<u>No.</u> <u>20-1</u>	<u>No.</u> <u>20-2</u>	<u>No.</u> <u>20-3</u>	<u>No.</u> <u>20-4</u>
Lead Content (Pb)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury Content(Hg)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Hexavalent Chromium Content [Cr(VI)]	ppm	2	Negative	N.D.	Negative	N.D.	N.D.
Flame Retardants							
Polybrominated biphenyls (PBBs)	ppm	5	N.A.	N.D.	N.A.	N.D.	N.D.
Polybrominated Diphenylethers(PBDEs)	ppm	5	N.A.	N.D.	N.A.	N.D.	N.D.

Item	Unit	MDL	<u>No.</u> <u>21-1</u>	<u>No.</u> <u>21-2</u>	<u>No.</u> <u>21-3</u>	<u>No.</u> <u>22-1</u>	<u>No.</u> <u>22-2</u>
Lead Content (Pb)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury Content(Hg)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Hexavalent Chromium Content [Cr(VI)]	ppm	2	N.D.	Negative	Negative	N.D.	Negative
Flame Retardants							
Polybrominated biphenyls (PBBs)	ppm	5	N.D.	N.A.	N.A.	N.D.	N.A.
Polybrominated Diphenylethers(PBDEs)	ppm	5	N.D.	N.A.	N.A.	N.D.	N.A.

Item	Unit	MDL	<u>No.</u> <u>22-3</u>	<u>No.</u> <u>23-1</u>	<u>No.</u> <u>23-2</u>	<u>No.</u> <u>24-1</u>	<u>No.</u> <u>24-2</u>
Lead Content (Pb)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury Content(Hg)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Hexavalent Chromium Content [Cr(VI)]	ppm	2	Negative	N.D.	Negative	N.D.	N.D.
Flame Retardants							
Polybrominated biphenyls (PBBs)	ppm	5	N.A.	N.D.	N.A.	N.D.	N.D.
Polybrominated Diphenylethers(PBDEs)	ppm	5	N.A.	N.D.	N.A.	N.D.	N.D.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the company

**Anbotek Compliance Laboratory Limited**

Address: 1/F, 1 /Building, SEC Industrial Park, No.4 Qianhai Road, Nanshan District, Shenzhen, 518054, China  
 Tel: (86) 755-26014771 Fax: (86) 755-26014772 Email: service@anbotek.com Http://www.anbotek.com

**RoHS Test Report** No. 201203726R Date: Mar. 16, 2012 Page 8 of 14

Item	Unit	MDL	No. <u>24-3</u>	No. <u>24-4</u>	No. <u>24-5</u>	No. <u>24-6</u>	No. <u>24-7</u>
Lead Content (Pb)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury Content(Hg)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Hexavalent Chromium Content [Cr(VI)]	ppm	2	N.D.	N.D.	Negative	Negative	Negative
Flame Retardants							
Polybrominated biphenyls (PBBs)	ppm	5	N.D.	N.D.	N.A.	N.A.	N.A.
Polybrominated Diphenylethers(PBDEs)	ppm	5	N.D.	N.D.	N.A.	N.A.	N.A.

Item	Unit	MDL	No. <u>25-1</u>	No. <u>25-2</u>	No. <u>25-3</u>	No. <u>25-4</u>	No. <u>25-5</u>
Lead Content (Pb)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury Content(Hg)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Hexavalent Chromium Content [Cr(VI)]	ppm	2	N.D.	N.D.	N.D.	Negative	Negative
Flame Retardants							
Polybrominated biphenyls (PBBs)	ppm	5	N.D.	N.D.	N.D.	N.A.	N.A.
Polybrominated Diphenylethers(PBDEs)	ppm	5	N.D.	N.D.	N.D.	N.A.	N.A.

Item	Unit	MDL	No. <u>26</u>	No. <u>27</u>	No. <u>28</u>	No. <u>29</u>	No. <u>30</u>
Lead Content (Pb)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury Content(Hg)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Hexavalent Chromium Content [Cr(VI)]	ppm	2	Negative	N.D.	Negative	N.D.	Negative
Flame Retardants							
Polybrominated biphenyls (PBBs)	ppm	5	N.A.	N.D.	N.A.	N.D.	N.A.
Polybrominated Diphenylethers(PBDEs)	ppm	5	N.A.	N.D.	N.A.	N.D.	N.A.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the company

**Anbotek Compliance Laboratory Limited**

Address: 1/F, 1 /Building, SEC Industrial Park, No.4 Qianhai Road, Nanshan District, Shenzhen, 518054, China  
 Tel: (86) 755-26014771 Fax : (86) 755-26014772 Email: service@anbotek.com Http://www.anbotek.com

Item	Unit	MDL	No. 31	No. 32	No. 33	No. 34	No. 35
Lead Content (Pb)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury Content(Hg)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Hexavalent Chromium Content [Cr(VI)]	ppm	2	Negative	Negative	N.D.	Negative	N.D.
<b>Flame Retardants</b>							
Polybrominated biphenyls (PBBs)	ppm	5	N.A.	N.A.	N.D.	N.A.	N.D.
Polybrominated Diphenylethers(PBDEs)	ppm	5	N.A.	N.A.	N.D.	N.A.	N.D.

Item	Unit	MDL	No. 36	No. 37	No. 38	No. 39	No. 40
Lead Content (Pb)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury Content(Hg)	ppm	2	N.D.	N.D.	N.D.	N.D.	N.D.
Hexavalent Chromium Content [Cr(VI)]	ppm	2	N.D.	N.D.	N.D.	Negative	N.D.
<b>Flame Retardants</b>							
Polybrominated biphenyls (PBBs)	ppm	5	N.D.	N.D.	N.D.	N.A.	N.D.
Polybrominated Diphenylethers(PBDEs)	ppm	5	N.D.	N.D.	N.D.	N.A.	N.D.

- NOTE: (1) ppm=mg/kg.  
(2) N.D.= NOT DETECTED (<MDL)  
(3) N.A.= NOT APPLICABLE  
(4) Negative = Absence of CrVI coating

**DISCLAIM:** Anbotek take no responsibility for any mistakes caused by inaccurate and /or invalid information submitted by the applicant.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the company

**Anbotek Compliance Laboratory Limited**

Address:1/F, 1 /Building, SEC Industrial Park, No.4 Qianhai Road, Nanshan District, Shenzhen, 518054, China  
Tel: (86) 755-26014771 Fax :(86) 755-26014772 Email: service@anbotek.com Http://www.anbotek.com

## SAMPLE APPEARANCE DESCRIPTION:

Item No.	Part Name	Description
1	PCB	Green "pcb" (mixed)
2	TIN	Silvery metal
3	RESISTOR	---
3-1	BODY	Grey body w/ multicolor loop
3-2	PIN	Silvery metal pin
4	RESISTOR	---
4-1	BODY	Yellow body w/ multicolor loop
4-2	PIN	Silvery metal pin
5	X CAPACITOR	---
5-1	BODY	Yellow body w/ black printing (mixed)
5-2	PIN	Silvery metal pin
6	CAPACITOR	---
6-1	BODY	Red body w/ black printing (mixed)
6-2	PIN	Silvery metal pin
7	ELECTROLYTIC CAPACITOR	---
7-1	FOIL	Gray metal
7-2	PIN	Silvery metal pin
7-3	ALUMINIUM	Silvery metal shell
7-4	RUBBER	Black/smalt rubber w/ grey printing
8	DIODE	---
8-1	BODY	Black plastic body
8-2	PIN	Silvery metal pin
9	DYNATRON	---
9-1	BODY	Black body w/ yellow printing
9-2	PIN	Silvery metal pin
10	LED	---
10-1	BODY	Red palstic
10-2	PIN	Silvery metal
11	RECTIFIER BRIDGE	---
11-1	BODY	Black body w/ white printing
11-2	PIN	Silvery metal pin
12	IC	---

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the company

**Anbotek Compliance Laboratory Limited**

Address:1/F, 1 /Building, SEC Industrial Park, No.4 Qianhai Road, Nanshan District, Shenzhen, 518054, China  
Tel: (86) 755-26014771 Fax:(86) 755-26014772 Email: service@anbotek.com Http://www.anbotek.com

**RoHS Test Report**

No. 201203726R

Date: Mar. 16, 2012

Page 11 of 14

Item No.	Part Name	Description
12-1	BODY	Black body w/ yellow printing
12-2	PIN	Silvery metal pin
13	IC5	---
13-1	BODY	White body w/ black printing
13-2	PIN	Silvery metal pin
14	FUSE	---
14-1	BODY	Glass tube
14-2	COVER	Black plastic
14-3	WIRE	Silvery metal wire
14-4	PIN	Silvery metal pin
15	TRANSFORMER	---
15-1	MAGNET WIRE	Copper-colored metal wire
15-2	CORE	Silvery metal cores
15-3	BOBBIN	White bobbin
15-4	POLYESTER MAYLAR TAPE(LIGHT YELLOW)	Yellow/blue adhesive tape
15-5	COPPER	Copper metal wire
15-6	PLASTIC	PC 940a-116
15-7	PLASTIC JACKET	Plastic
15-8	WIRE CORE	Metal
16	COOLING FIN	Silvery metal
17	CONNECTOR	---
17-1	BODY	White plastic
17-2	PIN	Silvery metal pin
18	CRYSTAL OSCILLATOR	---
18-1	BODY	Brown body
18-2	PIN	Silvery metal pin
19	BUZZER	---
19-1	BODY	Black plastic
19-2	CORE	Silvery metal
19-3	PIN	Silvery metal
20	DIGITAL DISPLAY	---
20-1	ENCLOSURE	White/black plastic
20-2	PIN	Silvery metal

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the company

**Anbotek Compliance Laboratory Limited**

Address: 1/F, 1 /Building, SEC Industrial Park, No.4 Qianhai Road, Nanshan District, Shenzhen, 518054, China  
Tel: (86) 755-26014771 Fax: (86) 755-26014772 Email: service@anbotek.com Http: //www.anbotek.com

<b>Item No.</b>	<b>Part Name</b>	<b>Description</b>
20-3	PLASTIC	Transparent plastic
20-4	PAPER	Grey w/ black printing
21	INPUT TERMINAL	---
21-1	BODY	Black plastic
21-2	PLUG FOOT	Silvery metal
21-3	PIN	Silvery metal
22	BUTTON	---
22-1	BODY	Black plastic
22-2	PIECE	Silvery metal
22-3	PIN	Silvery metal
23	POWER SWITCH	---
23-1	BODY	Black plastic
23-2	PIN	Silvery metal
24	POWER LINE	---
24-1	PROTECTIVE RING	Black plastic w/ black printing
24-2	PVC JACKET	Blue jacket
24-3	PVC JACKET	Brown jacket
24-4	PVC JACKET	Yellow jacket
24-5	WIRE	Copper-color metal wire
24-6	PLUG FOOT	Silvery metal
24-7	TERMINAL	Copper-color metal
25	INSIDE WIRE	---
25-1	PVC JACKET	Grey jacket
25-2	PVC JACKET	White jacket
25-3	NYLON STRIP	White/red nylon
25-4	WIRE	Silvery metal wire
25-5	WIRE	Copper-color metal wire
26	ACCESSORY INTERFACE PORT	Silvery metal
27	PRESSURE HANDLE	Black plastic
28	PRESSURE            ADJUSTMENT SCREW	Silvery metal
29	SILICON MUG WRAP	Blue plastic
30	METAL PIECE	Silvery metal
31	SCREW	Silvery metal

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the company

**Anbotek Compliance Laboratory Limited**

Address:1/F, 1 /Building, SEC Industrial Park, No.4 Qianhai Road, Nanshan District, Shenzhen, 518054, China  
Tel: (86) 755-26014771 Fax:(86) 755-26014772 Email: service@anbotek.com Http://www.anbotek.com

**RoHS Test Report**    No. 201203726R    Date: Mar. 16, 2012    Page13 of 14

<b>Item No.</b>	<b>Part Name</b>	<b>Description</b>
32	SPRING	Silvery metal
33	KNOB	Black plastic
34	BOLT	Silvery metal
35	FIXITY	White palstic
36	MUCILAGE GLUE	Red mucilage
37	SPACER	Red plastic
38	FOOT	Black plastic
39	LACQUERED METAL	Blue/black metal
40	MARKING	Grey paper w/ black printing

\*\*\*\*\* End of Report \*\*\*\*\*

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the company

**Anbotek Compliance Laboratory Limited**

Address:1/F, 1 /Building, SEC Industrial Park, No.4 Qianhai Road, Nanshan District, Shenzhen, 518054, China  
Tel: (86) 755-26014771 Fax :(86) 755-26014772 Email: service@anbotek.com Http://www.anbotek.com

**APPENDIX**

**Photograph of Sample**



This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the company

**Anbotek Compliance Laboratory Limited**

Address:1/F, 1 /Building, SEC Industrial Park, No.4 Qianhai Road, Nanshan District, Shenzhen, 518054, China  
Tel: (86) 755-26014771 Fax : (86) 755-26014772 Email: service@anbotek.com Http: //www.anbotek.com