MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

-		
Trade Name	:	General sublimation ink for Epson desktop printer, such as
		Epson stylus R210 R230 R350 C67 C65 C88 C86 etc.
Product Type	:	Ink Jet Ink
Supplier	:	BestSub Technologies Co Limited
Address	:	Rm 810 Exchange Square,No.268 Dongfeng Zhong
		Road, Yuexiu District, Guangzhou, 510030, China.
Emergency Phone	:	+86-20-83375464
Information Phone	:	+86-20-83325659

2. TECHNICAL DATA

Hue (色彩)	:	Magenta
Chemical Name(化学名称)	:	Disperse Magenta mixture
Chemical Family	:	Proprietary
Appearance(状态)	:	Liquid
pH (PH 值)		7.0-9.6
Solubility in water(在水中的溶解)		Dispersible
Particle Size(颗粒大小)		100% <0.4μm
Viscosity(粘度)		2 -5 CPS
Solids (固含量)	:	5% ± 2%
Uses: (用途)		Sublimation Inks

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family: Water/ Glycol/ dye (Pigment)

Hazardous	CAS#	Weight %	Remarks
components			
Dye(Pigment)	Proprietary	1-30%	No PEL established.
hazardous			May cause sensitization.
Glycol solvent	APJ prop 1	2-40%	OSHA PEL TWA 10 mg/m3, ACGIH
			TLV 10 mg/m3
Isopropyl	67-63-0	1.5-8%	ACGIH TLV-TWA 400ppm Flammable
Alcohol			
Glycerol	56-81-5	1.5-10%	OSHA PEL TWA 5 mg/m3
Glycol ether	APJ prop 2	1.5-8%	OSHA PEL TWA 50 ppm Flammable
2-pyrrolidone	616-45-5	2-40%	No PEL established.

4. HAZARDS IDENTIFICATION

HMIS CODES	HFRP

Page: 1

Ref.: Sublimation ink DXX 7007

Version no.: 1

		1 0 0 C						
INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE								
INHALATION	:	None reported or known to exist for the product unless						
		listed here.						
SKIN AND EYE CONT	CA(CT HEALTH RISKS AND SYMPTOMS OF						
EXPOSURE								
EYE/SKIN	:	May cause irritation.						
INGESTION HEALTH	INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE							
INGESTION	:	May cause gastrointestinal irritation, vomiting, nausea						
		and diarrhea.						
		May be harmful or fatal if swallowed; may damage						
	kidney and liver							
HEALTH HAZARDS (A	AC	UTE AND CHRONIC)						
ACUTE	:	Moderate eye and skin irritation.						
CHRONIC	:	None known or determined for the product.						

5. FIRST AID MEASURE

SWALLOWED	:	Do not Induce vomiting and call a doctor		
SKIN CONTACT	:	Wash contaminated areas with soap and water		
EYE CONTACT	:	Flush eyes thoroughly with water. Seek medical		
		attention if irritation persists.		
INHALED	:	Remove victim to fresh air		

6. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD	:	NA
FLAMMABLE LIMITS IN AIR	:	NA
FIRE EXTINGUISHING MEDIA	:	NA
UNUSUAL FIRE AND EXPLOSION	:	NA
HAZARDS		

7. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Soap up on paper or other absorbent and scoop into closed containers. Flush area with plenty of water

8. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING					
STORAGE TEMPERATURE : Standard room temperature (68 DEG F).					
SPECIAL SENSITIVITY	:	Heat, light, moisture			
PRECAUTIONS	:	Keep container closed. Store away from traffic.			

9. EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION	:	Not necessary			

Page: 2

Ref.: Sublimation ink DXX 7007

Version no.: 1

VENTILATION	:	Mechanical ventilation is acceptable.
PROTECTIVE GLOVES		Rubber
EYE PROTECTION	:	Goggles or safety glasses with side shields
OTHER PROTECTIVE	:	Impervious clothing where skin contact is
CLOTHING OR EQUIPMENT		unavoidable; eyewash station.
WORK/HYGIENIC PRACTICES	:	Avoid contamination of food, drink etc.
		No smoking when handling.

10. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT	:	> 200 DEG F
SPECIFIC GRAVITY (H ₂ O=1)		> 1
RELATIVE VAPOR DENSITY (Air=1)	:	Heavier than air
RELATIVE EVAPORATION RATE (BUTYL ACETATE =1)	:	> 1
PHYSICAL STATE	:	Liquid
ODOR	:	Mild
SOLUBILITY IN WATER	:	Complete

11. REACTIVITY

STABILITY	:	Stable
CONDITIONS TO AVOID	:	None known
INCOMPATIBILITY(Materials to Avoid)	:	Oxidizing materials and strong acids.
HAZARDOUS DECOMPOSITION OR	:	Oxides of Carbon and nitrogen
BYPRODUCTS		_
HAZARDOUS POLYMERIZATION	:	None

12. TOXICOLOGICAL INFORMATION

No information available

13. ECOLOGICAL INFORMATION

No information available

14. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD	:	Dispose of in accordance with all local, state or
		federal regulations.

15. TRANSPORTATION INFORMATION

DOT CHIDDING NAME	. Not recorded
D.O.T SHIPPING NAME	: Not regulated

16. REGULATORY

OSHA STATUS	:	Product not tested. But is considered to be of relatively
		low toxicity.
TSCA STATUS	:	This product meets the requirements of the Toxic
		Substances Control Act.
SARA TITLE III	:	Product not listed. SARA listed ingredients at or above
		De Minim is reporting levels are noted in paragraph 2, if

Page: 3

Ref.: Sublimation ink DXX 7007

		any.
RCRA HAZARDOUS	:	If discarded in its purchased form, this product would
WASTE NUMBER		not be a federal hazardous waste either by listing or by
/STATUS		characteristic. States, however, often have stricter
		criteria. Users should check with their state regulatory
		agencies for current hazardous waste criteria. Under
		RCRA it is the responsibility of the product user to
		determine at the time of disposal whether a material
		containing the product or derived from the product
		should be classified as a hazardous waste (40CFR261
		20-24).

17. OTHER INFORMATION

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. This information is believed to be correct, but does not purport to be all inclusive and shall be used only as a guide. We do not make any warranty, express or implied, as to the accuracy or completeness of this information. It is the user's responsibility to determine the suitability of this information for the adoption of necessary safety precautions and/or compliance with federal, state, and local laws and regulations.

Page: 4

Ref.: Sublimation ink DXX 7007